

Nooran product



نوران

---

NOORAN





## Content

---



Page 5



Page 6



Page 7



Page 8




Page 9



Page 10



Page 11



Page 12



Page 13



Page 14



Page 15



Page 16



Page 17



Page 18



Page 19



Page 20



Page 21



Page 22



Page 23



Page 24




Page 25




Page 26



Page 27



Page 28




Page 29




Page 30


<b>Code:</b>	N1001
<b>Base</b>	GU10
<b>Cut Out</b>	70 mm
<b>Main Material</b>	Aluminum
<b>Body Color</b>	BLK / WHT / GRY





<b>Code:</b>	<b>N1002</b>
<b>Base</b>	GU10
<b>Cut Out</b>	80 mm
<b>Main Material</b>	Aluminum
<b>Reflector Color</b>	BLK / WHT / GLD
<b>Body Color</b>	WHT




<b>Code:</b>	N1003
<b>Base</b>	GU10
<b>Cut Out</b>	80 mm
<b>Main Material</b>	Aluminum
<b>Body Color</b>	BLK / WHT / GRY



<b>Code:</b>	<b>N1001-COB</b>
<b>Cut Out</b>	70 mm
<b>Input Voltage</b>	230V
<b>Power(Watts)</b>	13.6W
<b>Lumen</b>	1105.8lm
<b>Lamp Holder</b>	Poly Carbonate
<b>Light Source</b>	COB Philips - 1203
<b>Beam Angle</b>	6 °, 38°, 54°, 90°(w Diffuser)
<b>Color Temperature</b>	3000K , 4000K
<b>CRI ≥</b>	90
<b>IP Level</b>	20
<b>Main Material</b>	Aluminum
<b>Body Color</b>	BLK / WHT / GRY
<b>Warranty</b>	5 years
<b>Guarantee</b>	2 years





— CO,0-C180,0 — C90,0-C270,0





<b>Code:</b>	<b>N1003-COB</b>
<b>Cut Out</b>	80 mm
<b>Input Voltage</b>	230V
<b>Power(Watts)</b>	13.6W
<b>Lumen</b>	1105.8lm
<b>Lamp Holder</b>	Poly Carbonate
<b>Light Source</b>	COB Philips - 1203
<b>Beam Angle</b>	6 °, 38 °, 54 °, 90 °(w Diffuser)
<b>Color Temperature</b>	3000K , 4000K
<b>CRI ≥</b>	90
<b>IP Level</b>	20
<b>Main Material</b>	Aluminum
<b>Body Color</b>	BLK / WHT / GRY
<b>Warranty</b>	5 years
<b>Guarantee</b>	2 years






— CO,0-C180,0 — C90,0-C270,0




Distance(m)	E(lx)	Cone Diameter(m)
2.0	458	1.35
4.0	137	2.69
6.0	61	4.04
8.0	34	5.38
10.0	22	6.73

Half Value Angle: 18.6°



<b>Code:</b>	<b>N1016</b>
<b>Cut Out</b>	40x140 mm
<b>Input Voltage</b>	190-265 120MA
<b>Power(Watts)</b>	5x2.5W (11.7W)
<b>Lumen</b>	1016lm , 1010lm
<b>Lamp Holder</b>	Aluminum
<b>Light Source</b>	Nichia Chips
<b>Beam Angle</b>	40°
<b>Color Temperature</b>	3000K , 4000K
<b>CRI ≥</b>	95
<b>IP Level</b>	44
<b>Main Material</b>	Aluminum
<b>Body Color</b>	BLK / WHT
<b>Dimmable</b>	Optional
<b>Warranty</b>	5 years
<b>Guarantee</b>	2 years



<b>Code:</b>	<b>N1017</b>
<b>Cut Out</b>	40x275 mm
<b>Input Voltage</b>	190-265 120MA
<b>Power(Watts)</b>	10x2.5W (21.4W)
<b>Lumen</b>	1935m . 1925lm
<b>Lamp Holder</b>	Aluminum
<b>Light Source</b>	Nichia Chips
<b>Beam Angle</b>	40°
<b>Color Temperature</b>	3000K . 4000K
<b>CRI ≥</b>	95
<b>IP Level</b>	44
<b>Main Material</b>	Aluminum
<b>Body Color</b>	BLK / WHT
<b>Dimmable</b>	Optional
<b>Warranty</b>	5 years
<b>Guarantee</b>	2 years



<b>Code:</b>	<b>N1004</b>
<b>Input Voltage</b>	230V
<b>Power(Watts)</b>	13.6W
<b>Lumen</b>	1105.8lm
<b>Lamp Holder</b>	Poly Carbonate
<b>Light Source</b>	COB Philips - 1203
<b>Beam Angle</b>	38°, 54°
<b>Color Temperature</b>	3000K , 4000K
<b>CRI ≥</b>	90
<b>IP Level</b>	20
<b>Main Material</b>	Aluminum
<b>Reflector Color</b>	BLK / WHT
<b>Body Color</b>	BLK / WHT
<b>Warranty</b>	5 years
<b>Guarantee</b>	2 years




Distance(m)	E(lx)	Cone Diameter(m)
2.0	458	1.35
4.0	137	2.69
6.0	61	4.04
8.0	34	5.38
10.0	22	6.73


Half Value Angle: 18.6°



<b>Code:</b>	<b>N1005-120</b>
<b>Base</b>	GU10
<b>Power(Watts)</b>	6W
<b>Lumen</b>	600lm
<b>Lamp Holder</b>	Ceramic
<b>Light Source</b>	San'an
<b>Beam Angle</b>	35°
<b>Color Temperature</b>	3000K
<b>CRI <math>\geq</math></b>	80
<b>IP Level</b>	20
<b>Main Material</b>	Aluminum
<b>Reflector Color</b>	BLK / WHT
<b>Body Color</b>	BLK / WHT



<b>Code:</b>	<b>N1005-180</b>
<b>Base</b>	GU10
<b>Power(Watts)</b>	6W
<b>Lumen</b>	600lm
<b>Lamp Holder</b>	Ceramic
<b>Light Source</b>	San'an
<b>Beam Angle</b>	35°
<b>Color Temperature</b>	3000K
<b>CRI ≥</b>	80
<b>IP Level</b>	20
<b>Main Material</b>	Aluminum
<b>Reflector Color</b>	BLK / WHT
<b>Body Color</b>	BLK / WHT







نوران  
NOOR'AN

## Surface Mounted Light

<b>Code:</b>	<b>N1006</b>
<b>Base</b>	GU10
<b>Power(Watts)</b>	6W
<b>Lumen</b>	600lm
<b>Lamp Holder</b>	Ceramic
<b>Light Source</b>	San'an
<b>Beam Angle</b>	35°
<b>Color Temperature</b>	3000K
<b>CRI <math>\geq</math></b>	80
<b>IP Level</b>	20
<b>Main Material</b>	Aluminum
<b>Body Color</b>	BLK / WHT




<b>Code:</b>	<b>N1012-150</b>
<b>Base</b>	GU10
<b>Power(Watts)</b>	6W
<b>Lumen</b>	600lm
<b>Lamp Holder</b>	Ceramic
<b>Light Source</b>	San'an
<b>Beam Angle</b>	35°
<b>Color Temperature</b>	3000K
<b>CRI <math>\geq</math></b>	80
<b>IP Level</b>	20
<b>Main Material</b>	Aluminum
<b>Reflector Color</b>	BLK / WHT
<b>Body Color</b>	BLK / WHT







<b>Code:</b>	<b>N1007</b>
<b>Input Voltage</b>	230V
<b>Power(Watts)</b>	//W
<b>Lumen</b>	//lm
<b>Lamp Holder</b>	Aluminum PCB
<b>Light Source</b>	TD Lighting
<b>Beam Angle</b>	//°
<b>Color Temperature</b>	3000K . 4000K
<b>CRI ≥</b>	80
<b>IP Level</b>	20
<b>Main Material</b>	Aluminum
<b>Body Color</b>	BLK / WHT
<b>Dimmable</b>	Optional
<b>Warranty</b>	5 years
<b>Guarantee</b>	2 years



<b>Code:</b>	<b>N1011</b>
<b>Base</b>	GU10
<b>Power(Watts)</b>	6W
<b>Lumen</b>	600lm
<b>Lamp Holder</b>	Ceramic
<b>Light Source</b>	San'an
<b>Beam Angle</b>	35°
<b>Color Temperature</b>	3000K
<b>CRI <math>\geq</math></b>	80
<b>IP Level</b>	20
<b>Main Material</b>	Aluminum
<b>Body Color</b>	BLK / WHT





<b>Code:</b>	<b>N1008</b>
<b>Base</b>	GU10
<b>Power(Watts)</b>	2X6W (12W)
<b>Lumen</b>	2x600lm
<b>Lamp Holder</b>	Ceramic
<b>Light Source</b>	San'an
<b>Beam Angle</b>	35°
<b>Color Temperature</b>	3000K
<b>CRI <math>\geq</math></b>	80
<b>IP Level</b>	20
<b>Main Material</b>	Aluminum
<b>Reflector Color</b>	BLK / WHT
<b>Body Color</b>	BLK / WHT





<b>Code:</b>	<b>N1009</b>
<b>Base</b>	GU10
<b>Power(Watts)</b>	2X6W (12W)
<b>Lumen</b>	2x600lm
<b>Lamp Holder</b>	Ceramic
<b>Light Source</b>	San'an
<b>Beam Angle</b>	35°
<b>Color Temperature</b>	3000K
<b>CRI <math>\geq</math></b>	80
<b>IP Level</b>	20
<b>Main Material</b>	Aluminum
<b>Body Color</b>	BLK / WHT



<b>Code:</b>	<b>N1014</b>
<b>Base</b>	GU10
<b>Power(Watts)</b>	2X6W (12W)
<b>Lumen</b>	2x600lm
<b>Lamp Holder</b>	Ceramic
<b>Light Source</b>	San'an
<b>Beam Angle</b>	35°
<b>Color Temperature</b>	3000K
<b>CRI <math>\geq</math></b>	80
<b>IP Level</b>	20
<b>Main Material</b>	Aluminum. Plastic
<b>Reflector Color</b>	BLK / WHT
<b>Body Color</b>	BLK / WHT



<b>Code:</b>	<b>N1010</b>
<b>Base</b>	GU10
<b>Power(Watts)</b>	6W
<b>Lumen</b>	600lm
<b>Lamp Holder</b>	Ceramic
<b>Light Source</b>	San'an
<b>Beam Angle</b>	35°
<b>Color Temperature</b>	3000K
<b>CRI <math>\geq</math></b>	80
<b>IP Level</b>	65
<b>Main Material</b>	Aluminum
<b>Body Color</b>	BLK
<b>Warranty</b>	5 years
<b>Guarantee</b>	2 years



**Code:** N1015

**Input Voltage** //

**Power(Watts)** 5W

**Lumen** 650lm

**Lamp Holder** //

**Light Source** CREE

**Beam Angle** 7°

**Color Temperature** 3000K

**CRI ≥** 90



**IP Level** 65

**Main Material** Aluminum

**Body Color** BLK / WHT

**Warranty** 5 years

**Guarantee** 2 years





<b>Code:</b>	<b>N2001</b>
<b>Base</b>	1xE14
<b>Main Material</b>	Brass
<b>Shade Material</b>	Fabric
<b>Body Color</b>	GLD
<b>Shade Color</b>	Free to Order
<b>IP Level</b>	20







<b>Code:</b>	<b>N2002</b>
<b>Base</b>	1xE14
<b>Main Material</b>	Brass
<b>Shade Material</b>	Fabric
<b>Body Color</b>	GLD
<b>Shade Color</b>	Free to Order
<b>IP Level</b>	20






<b>Code:</b>	<b>N2003</b>
<b>Base</b>	1xE14
<b>Main Material</b>	Brass
<b>Shade Material</b>	Fabric
<b>Body Color</b>	GLD
<b>Shade Color</b>	Free to Order
<b>IP Level</b>	20







<b>Code:</b>	<b>N2004</b>
<b>Base</b>	1xE14
<b>Main Material</b>	Iron
<b>Shade Material</b>	Fabric
<b>Body Color</b>	GLD
<b>Shade Color</b>	Free to Order
<b>IP Level</b>	20



<b>Code:</b>	<b>N2007</b>
<b>Base</b>	1xE14
<b>Main Material</b>	Iron
<b>Shade Material</b>	Fabric
<b>Body Color</b>	GLD
<b>Shade Color</b>	Free to Order
<b>IP Level</b>	20



<b>Code:</b>	<b>N2006</b>
<b>Base</b>	2xE14
<b>Main Material</b>	Brass
<b>Shade Material</b>	Iron
<b>Body Color</b>	GLD
<b>Shade Color</b>	BLK
<b>IP Level</b>	20






<b>Code:</b>	<b>N2005</b>
<b>Base</b>	5xG9
<b>Main Material</b>	Iron
<b>Shade Material</b>	Aluminum
<b>Body Color</b>	GLD / SIL
<b>Shade Color</b>	GLD / SIL
<b>IP Level</b>	20



390 mm

560 mm





نوران  
NOORAN